

STRIPPING MACHINE FEEDING ROBOT

AUTOMATICALLY FROM THE TROLLEY TO THE
STRIPPING MACHINE



rev. 001100.2411.66

■ Stripping machine feeding robot

- Cell for unloading trolleys combined with the stripping machine
- By inserting the trolley full of dry pasta inside the cell, with a single operation the machine picks up the sticks from the trolley
- Automatically loads the stripping machine

STRIPPING MACHINE FEEDING ROBOT

Cell for unloading trolleys combined with. By inserting the trolley full of dry pasta inside the cell, with a single operation the machine picks up the sticks from the trolley and automatically loads the stripping machine.

Main technical features:

- By inserting the trolley full of dry pasta inside the cell, with a single operation the machine picks up the sticks from the trolley and automatically loads the stripping machine
- Automatically loads the stripping machine
- The empty sticks are then collected on a wheeled trolley, placed under the stripping machine.

Technical data.

- Output: 4/6 strokes/minute
- Weight: 850kg (depending on the type)
- Power: 2KW or so (depending on the type) 400/3F 50Hz



Stripping machine feeding robot



Stripping machine feeding robot



STRIPPING MACHINE FEEDING ROBOT



■ Stripping machine feeding robot



facebook.com/storci.spa



youtube.com/@FAVAspAPastaEquipment



linkedin.com/company/fava-s.p.a.

Fava S.p.A.
Via IV Novembre, 29 - 44042 Cento (FE)
phone: +39 051 6843411
www.favastorci.com - info@fava.it

FAVA
pasta equipment **Storci**